

## **Appendix**

Sixteen State Study on Mental Health  
Performance Measures

**A1: Penetration/Utilization Rates**

<b>State Psychiatric Hospitals: FY 2000</b>	Arizona	Colorado	Connecticut	District of Columbia	Illinois	Indiana	Missouri	New York	Oklahoma	Rhode Island	South Carolina	Texas	Utah	Vermont	Virginia	Washington
Rate per 100,000 Population	14	58	63	439	76	41	137	68	87	45	186	71	33	41	86	71
<b>AGE</b>																
Under 18	3	56	-	194	11	15	47	41	31	-	103	36	17	2	39	9
Over 18	18	59	85	494	99	50	168	76	108	59	213	85	41	53	100	92
<b>ETHNICITY</b>																
White	9	45	42	151	49	36	108	47	82	43	156	47	31	39	74	65
Non-White	57	213	217	596	189	86	337	111	116	63	254	201	72	168	123	114
<b>GENDER</b>																
Male	23	69	84	560	102	58	184	95	111	58	223	83	41	60	107	97
Female	6	47	44	334	50	25	93	42	65	33	152	59	25	22	65	45

<b>Community-Based Programs: FY 2000</b>	Arizona	Colorado	Connecticut	District of Columbia	Illinois	Indiana	Missouri	New York (1999)	Oklahoma	Rhode Island	South Carolina	Texas	Utah	Vermont	Virginia	Washington
Rate per 100,000 Population	1,810	1,614	931	1,757	1,206	1,270	1,066	2,020	959	2,465	2,251	852	1,952	3,282	1,587	1,916
<b>AGE</b>																
Under 18	1867	2284	-	1309	1194	1306	729	1411	408	2678	3154	720	2062	5135	1387	2199
Over 18	1787	1383	1232	1858	1208	1258	1180	2219	1155	2385	1956	905	1808	2706	1638	1812
<b>ETHNICITY</b>																
White	1353	1320	635	446	954	1048	958	1549	913	2156	1929	560	1813	3246	1436	1725
Non-White	5403	2558	3060	2468	2281	3353	1797	3017	1186	6048	2970	2420	4646	5488	2063	3411
<b>GENDER</b>																
Male	2039	1474	897	1848	1192	1394	1066	2063	891	2494	2444	831	1945	3208	1619	1817
Female	1585	1744	963	1678	1219	1153	1065	1980	1024	2439	2071	872	1958	3353	1557	2014

**A2-A Adult Consumer Perception of Access**

State	AZ (1999)	CO (2000)	CT (2001)	DC (2000)	IN (2001)	NY (1998)	OK (1999)	RI (2000)	SC (2001)	TX (2000)	UT (2000)	VA (2000)	VT (2001)
Percent Agreeing	68.2%	75.0%	74.4%	83.9%	79.3%	83.4%	92.2%	90.3%	79.6%	83.0%	81.8%	85.1%	78.0%
<b>By Age</b>													
18-22	53.7%	***	***	NC	70.1%	N/A	NC	84.4%	N/A	***	85.0%	86.3%	N/A
23-59	67.5%	***	***	82.4%	79.1%	N/A	91.9%	89.2%	N/A	***	806.0%	85.0%	N/A
60-64	80.4%	***	***	93.1%	82.1%	N/A	NC	92.4%	N/A	***	NC	93.1%	N/A
65-74	74.6%	***	***	92.3%	84.0%	N/A	NC	89.9%	N/A	***	NC	91.5%	N/A
75+	82.1%	***	***	NC	96.2%	N/A	NC	92.4%	N/A	***	NC	88.1%	N/A
<b>By Gender</b>													
Male	67.0%	72.2%	74.4%	84.2%	77.5%	N/A	92.1%	90.5%	N/A	82.7%	NC	86.8%	77.0%
Female	69.3%	76.6%	74.1%	83.9%	80.2%	N/A	92.5%	90.0%	N/A	83.5%	NC	84.1%	79.0%
<b>By Ethnicity</b>													
White	68.2%	77.0%	74.0%	86.2%	N/A	N/A	92.1%	90.1%	N/A	81.9%	NC	86.5%	78.0%
Non-White	69.1%	73.5%	75.0%	82.4%	N/A	N/A	92.6%	92.4%	N/A	85.5%	NC	83.2%	80

NC less than 30 respondents

\*\*\* Colorado, Connecticut and Texas used different age categories

**Q4-A Adult Consumer Perception of Quality/Appropriateness**

State	AZ (1999)	CO (2000)	CT (2001)	DC (2000)	IN (2001)	NY (1998)	OK (1999)	RI (2000)	SC (2001)	TX (2000)	UT (2000)	VA (2000)	VT (2001)
Percent Agreeing	75.4%	73.2%	74.1%	85.8%	78.5%	79.6%	90.1%	87.8%	72.0%	82.7%	79.4%	83.8%	79.0%
By Age													77.0%
18-22	60.0%	***	***	NC	74.7%	N/A	NC	91.9%	NC	***	81.0%	85.0%	***
23-59	74.8%	***	***	85.1%	78.5%	N/A	89.5%	90.0%	73.4%	***	77.9%	83.8%	***
60-64	80.4%	***	***	93.1%	75.3%	N/A	NC	89.9%	NC	***	NC	86.8%	***
65-74	86.4%	***	***	97.4%	84.7%	N/A	NC	91.0%	NC	***	NC	83.8%	***
75+	88.9%	***	***	NC	80.8%	N/A	NC	88.2%	NC	***	NC	80.0%	***
By Gender													
Male	77.0%	68.6%	72.7%	84.8%	75.1%	N/A	88.6%	86.8%	76.1%	83.3%	NC	85.6%	77.0%
Female	74.6%	75.5%	76.2%	88.2%	80.3%	N/A	91.1%	88.6%	70.2%	83.2%	NC	82.1%	81.0%
By Ethnicity													
White	74.8%	76.3%	72.6%	84.4%	N/A	N/A	89.0%	87.6%	73.3%	79.4%	NC	84.9%	79.0%
Non-White	77.0%	68.0%	76.6%	84.8%	N/A	N/A	93.6%	91.3%	73.6%	81.0%	NC	82.3%	69.0%

NC less than 30 respondents

\*\*\* Colorado, Connecticut and Texas used different age categories

**O1-A Adult Consumer Perception of Outcomes**

State	AZ (1999)	CO (2000)	CT (2001)	DC (2000)	IN (2001)	NY (1998)	OK (1999)	RI (2000)	SC (2001)	TX (2000)	UT (2000)	VA (2000)	VT (2001)
Percent Agreeing	57.5%	64.6%	72.6%	83.9%	68.4%	78.7%	72.2%	71.8%	59.6%	69.2%	58.1%	69.5%	N/A
<b>By Age</b>													
18-22	56.8%	***	***	NC	69.6%	N/A	NC	70.3%	N/A	NC	53.8%	70.9%	N/A
23-59	55.9%	***	***	82.4%	67.2%	N/A	70.1%	68.7%	N/A	***	57.1%	68.6%	N/A
60-64	71.4%	***	***	89.7%	78.4%	N/A	NC	79.5%	N/A	***	NC	81.1%	N/A
65-74	66.7%	***	***	97.4%	81.9%	N/A	NC	81.0%	N/A	***	NC	78.3%	N/A
75+	71.4%	***	***	NC	72.7%	N/A	NC	77.3%	N/A	***	NC	73.2%	N/A
<b>By Gender</b>													
Male	61.2%	62.7%	73.8%	84.0%	66.2%	N/A	71.9%	73.4%	N/A	72.1%	65.3%	67.0%	N/A
Female	55.2%	65.4%	71.9%	84.0%	69.6%	N/A	72.7%	70.3%	N/A	68.7%	52.6%	72.3%	N/A
<b>By Ethnicity</b>													
White	56.2%	70.3%	73.2%	86.2%	N/A	N/A	71.4%	71.1%	N/A	68.3%	N/A	67.8%	N/A
Non-White	61.0%	56.9%	71.7%	81.5%	N/A	N/A	74.6%	74.2%	N/A	72.1%	N/A	71.8%	N/A

NC less than 30 respondents

\*\*\* Colorado, Connecticut and Texas used different age categories

**Q1 Adult Consumer Participation in Treatment Planning**

State	AZ (1999)	CO (2000)	CT (2001)	DC (2000)	IN (2001)	NY (1998)	OK (1999)	RI (2000)	SC (2001)	TX (2000)	UT (2000)	VA (2000)	VT (2001)
Percent Agreeing	81.20%	64.1%	64.9%	75.8%	72.3%	N/A	N/A	81.6%	72.8%	64.5%	69.5%	81.2%	68.0%
<b>By Age</b>													
18-22	N/A	***	***	NC	66.7%	N/A	N/A	79.4%	N/A	67.3%	N/A	78.1%	N/A
23-59	N/A	***	***	74.6%	72.5%	N/A	N/A	74.3%	N/A	64.7%	N/A	81.4%	N/A
60-64	N/A	***	***	77.8%	73.1%	N/A	N/A	75.3%	N/A	68.0%	N/A	86.8%	N/A
65-74	N/A	***	***	85.7%	73.9%	N/A	N/A	78.6%	N/A	67.4%	N/A	83.6%	N/A
75+	N/A	***	***	NC	76.0%	N/A	N/A	78.3%	N/A	68.4%	N/A	81.4%	N/A
<b>By Gender</b>													
Male	N/A	54.5%	64.2%	74.2%	66.7%	N/A	N/A	80.2%	N/A	63.3%	N/A	81.7%	66.0%
Female	N/A	69.4%	66.1%	76.9%	75.3%	N/A	N/A	82.8%	N/A	66.3%	N/A	81.0%	70.0%
<b>By Ethnicity</b>													
White	N/A	68.5%	63.8%	82.0%	N/A	N/A	N/A	80.8%	N/A	64.9%	N/A	81.8%	69.0%
Non-White	N/A	56.2%	67.0%	73.9%	N/A	N/A	N/A	87.6%	N/A	N/A	N/A	80.2%	56.0%

NC less than 30 respondents

\*\*\* Colorado and Connecticut used different age categories

### Q3: Consumers are Contacted Within Seven Days of Discharge

Contacted within 7 Days of Discharge	Colorado (FY'99)		District of Columbia (FY'99)		Illinois (FY'01)		Missouri (FY'01)		New York (FY'00)		Oklahoma (FY'01)		South Carolina (FY01)		Texas (FY'99)		Washington (FY'99)		Vermont * (FY'99)	
	Total Unduplicated Served																			
Total Unduplicated Served	2,606		1,880		6,631		9,814		54,671		3,003		5,286		12,296		2,726		167	
Total Contacted	1,284	49.3%	893	47.5%	5,267	79.4%	2,513	25.6%	16,549	30.3%	600	20.0%	2,217	41.9%	7,703	62.6%	911	33.4%	120	71.9%
<b>AGE</b>																				
0-12	55.3%		23.5%		92.0%		30.7%		31.4%		9.6%		38.3%		53.8%		NA		NA	
13-17	36.2%		25.4%		89.8%		29.4%		30.8%		21.4%		42.3%		57.3%		NA		NA	
18+	52.4%		49.3%		79.1%		23.1%		15.6%		8.9%		55.3%		63.5%		NA		NA	
<b>ETHNICITY</b>																				
White	48.8%		NA		82.3%		26.3%		36.4%		20.9%		41.8%		62.0%		NA		NA	
Hispanic	48.1%		NA		83.6%		21.8%		26.3%		20.5%		45.2%		73.6%		NA		NA	
Black	54.7%		NA		73.4%		23.4%		24.6%		16.9%		42.2%		53.0%		NA		NA	
Asian/Pacific Islander	48.1%		NA		88.2%		24.4%		22.5%		21.7%		NC		50.5%		NA		NA	
Native American	NC		NA		NC		21.9%		16.2%		12.8%		27.3%		NC		NA		NA	
<b>GENDER</b>																				
Male	46.8%		46.4%		78.0%		23.6%		27.5%		18.3%		41.4%		64.4%		NA		NA	
Female	46.8%		46.4%		81.8%		28.9%		33.6%		22.2%		42.7%		61.3%		NA		NA	
<b>DIAGNOSIS</b>																				
Adults with MMI	59.5%				80.6%		34.8%		33.2%		23.4%		49.0%		65.3%					
Adults without MMI	39.0%				76.6%		14.6%		18.9%		17.5%		35.7%		58.1%					
Children with MMI	41.5%				83.6%		34.8%		32.9%		7.9%		38.4%		65.3%					
Children without MMI	40.6%				92.7%		25.2%		29.5%		10.8%		38.6%		49.5%					

**Q8: Percentage of Adults with Schizophrenia Receiving New Generation Anti-psychotic (Atypical) Medications**

SETTING	Hosp	Hosp	Hosp	Hosp	Hosp	Hosp	Hosp	Hosp	Hosp	Hosp & Comm	Comm	Comm	Comm	Comm
STATE	CO	CT	DC	IL	NY	TX	UT	VT	WA	AZ	CO	RI	TX	VT
COLL.PERIOD	2000	1999	2000*	2000	1999	2000	2001	2000	2001	2000	2000	2000	2000	2000
<b>TOTAL</b>	883	523	563	3,249	11,700	5,016	152	134	1,707	4,222	3727	706	30,626	916
<b>TOTAL</b>	73.5%	72.8%	24.3%	79.8%	55.1%	82.1%	93.4%	72.0%	79.7%	59.6%	44.4%	60.0%	55.2%	69.5%
<b>AGE</b>														
0-3	0.0%	0.0%	0.0%	NA	0.0%	0.0%	0.0%		0.0%	0.0%	50.0%	0.0%	0.0%	0.0%
4-12	40.0%	0.0%	0.0%	NA	64.0%	0.0%	100.0%		0.0%	62.5%	45.5%	0.0%	37.3%	0.0%
13-17	93.3%	0.0%	0.0%	82.6%	88.1%	85.9%	100.0%		0.0%	55.3%	62.5%	0.0%	58.0%	100.0%
18-20	71.8%	61.5%	0.0%	87.9%	78.2%	83.2%	100.0%		90.2%	66.1%	60.0%	83.3%	69.3%	70.0%
21-30	79.9%	74.2%	2.2%	81.1%	68.7%	86.8%	100.0%		84.0%	66.7%	45.8%	70.4%	64.1%	76.4%
31-45	74.3%	70.4%	16.4%	77.3%	58.1%	82.0%	92.2%		81.5%	61.2%	43.5%	62.5%	56.5%	76.7%
46-64	67.0%	75.8%	36.1%	77.8%	50.2%	79.5%	93.3%		76.0%	56.3%	42.0%	59.0%	51.7%	62.9%
65-74	79.4%	82.4%	40.5%	78.7%	39.7%	73.6%	88.9%		82.4%	46.6%	47.6%	47.9%	42.3%	63.3%
75+	50.0%	85.7%	20.8%	50.0%	41.1%	75.5%	50.0%		61.5%	52.3%	57.3%	64.7%	41.3%	59.1%
<b>GENDER</b>														
FEMALE	75.5%	70.9%	10.3%	79.8%	49.5%	80.1%	94.1%	72.0%	79.9%	61.3%	44.6%	58.6%	53.7%	72.0%
MALE	72.6%	73.5%	36.5%	78.4%	58.0%	83.3%	93.1%	74.0%	79.6%	58.4%	44.4%	62.9%	56.4%	75.5%
<b>RACE/ETHNICITY</b>														
BLACK	73.4%	65.4%	23.9%	73.3%	57.8%	76.4%	NC		78.3%	57.2%	32.6%	48.7%	47.4%	NC
WHITE	73.2%	76.9%	28.6%	83.7%	53.3%	85.5%	93.1%	58.0%	80.1%	60.8%	47.3%	63.7%	59.4%	70.0%
AM INDIAN	NC	NC	NC	NC	64.0%	75.0%	NC		65.1%	45.3%	54.5%	NC	61.3%	NC
ASIAN	NC	NC	NC	85.7%	57.1%	81.5%	NC		89.4%	66.4%	48.5%	NC	57.0%	NC
HISPANIC	74.7%	74.3%	NC	83.1%	56.0%	83.9%	NC		80.0%	56.1%	39.5%	63.6%	57.7%	NC

\*11/16/99-9/30/00

NC: Denominator included fewer than 25 cases

**Q12: Readmission Within 30/180 Days**

<b>Readmission within 30 days</b>	<b>Arizona (FY'00)</b>		<b>Colorado (FY'00)</b>		<b>Connecticut (FY'00)</b>		<b>Columbia (FY'00)</b>		<b>Illinois (FY'00)</b>		<b>Indiana (FY'00)</b>		<b>Missouri (FY'00)</b>		<b>New York (CY'00)</b>		<b>Oklahoma (CY'00)</b>		<b>Rhode Island (FY'00)</b>		<b>South Carolina (FY'00)</b>		<b>Texas (FY'00)</b>		<b>Utah (FY'00)</b>		<b>Virginia (FY'00)</b>		<b>Vermont (FY'00)</b>		<b>Washington (FY'00)</b>	
<b>Total Unduplicated Served</b>	436		2,140		2,051		2,067		9,806		1,161		13,726		7,876		3,279		444		7,753		14,924		405		5,024		222		2,470	
<b>Total Readmitted</b>	58	13.3%	167	7.8%	191	9.3%	228	11.0%	1,331	13.6%	4	0.3%	982	7.2%	529	6.7%	287	8.8%	38	8.6%	725	9.4%	1,401	9.4%	12	3.0%	362	7.2%	15	6.8%	95	3.8%
<b>AGE</b>																																
<18	7.1%		9.6%		N/A		8.5%		4.8%		2.3%		5.6%		5.1%		3.2%		N/A		9.1%		8.0%		3.1%		5.9%		NC		0.0%	
18-64	10.7%		7.0%		9.2%		11.6%		13.9%		0.1%		7.4%		7.3%		9.4%		8.6%		9.4%		9.8%		3.2%		7.8%		7.3%		4.3%	
65+	42.1%		8.1%		14.3%		3.5%		10.4%		0.0%		5.2%		3.4%		2.4%		NC		7.7%		4.3%		0.0%		1.4%		NC		1.1%	
<b>ETHNICITY</b>																																
White	15.5%		7.9%		8.7%		9.1%		13.8%		0.3%		6.2%		7.2%		9.2%		8.9%		12.2%		9.6%		3.1%		7.6%		5.4%		3.9%	
Hispanic	10.3%		6.6%		6.8%		5.8%		8.2%		NC		14.2%		6.3%		41.3%		NC		17.4%		9.5%		NC		1.5%		NC		2.6%	
Black	10.7%		8.8%		12.7%		11.4%		14.3%		0.5%		8.8%		6.5%		7.4%		2.5%		7.4%		8.8%		NC		6.8%		NC		4.7%	
Asian/Pacific Islander	0.0%		14.3%		NC		31.8%		12.6%		NC		15.8%		5.4%		4.8%		NC		7.9%		7.5%		NC		11.4%		NC		0.0%	
Native American	14.3%		NC		14.3%		NC		NC		NC		19.1%		14.3%		0.4%		NC		3.5%		12.5%		NC		NC		NC		2.7%	
<b>GENDER</b>																																
Male	10.0%		8.4%		10.1%		13.0%		14.0%		0.5%		6.5%		6.1%		8.5%		9.4%		9.8%		9.5%		3.3%		6.8%		4.4%		3.0%	
Female	24.7%		7.0%		7.8%		8.6%		12.8%		0.0%		8.4%		7.9%		9.2%		7.1%		8.7%		9.2%		2.5%		7.8%		12.7%		5.7%	
<b>DIAGNOSIS</b>																																
Adults with SMI	14.7%		8.6%		10.5%		12.6%		13.3%		0.2%		7.6%		7.4%		10.6%		6.9%		11.1%		10.3%		3.2%		6.7%		4.6%		N/A	
Adults without SMI	12.2%		4.3%		6.1%		9.0%		5.8%		0.0%		7.0%		8.0%		7.0%		12.7%		8.6%		7.7%		2.3%		5.5%		11.8%		N/A	
Children with SMI	15.4%		9.5%		N/A		9.8%		6.1%		0.0%		7.0%		6.5%		6.4%		N/A		8.0%		10.8%		3.5%		8.5%		NC		N/A	
Children without SMI	0.0%		9.6%		N/A		7.8%		4.4%		3.9%		4.6%		4.3%		2.5%		N/A		9.3%		5.6%		2.9%		6.3%		NC		N/A	

<b>Readmission within 180 days</b>	<b>Arizona (CY'00)</b>		<b>Colorado (FY'00)</b>		<b>Connecticut (FY'98)</b>		<b>Columbia (FY'00)</b>		<b>Illinois (FY'00)</b>		<b>Indiana (FY'00)</b>		<b>Missouri (FY'00)</b>		<b>New York (CY'00)</b>		<b>Oklahoma (CY'00)</b>		<b>Rhode Island (FY'00)</b>		<b>South Carolina (FY'00)</b>		<b>Texas (FY'00)</b>		<b>Utah (FY'00)</b>		<b>Virginia (FY'00)</b>		<b>Vermont (FY'00)</b>		<b>Washington (FY'00)</b>	
<b>Total Unduplicated Served</b>	436		2,140		2,051		2,067		9,806		1,161		13,726		7,876		3,279		444		7,753		14,923		405		5,024		222		2,470	
<b>Total Readmitted</b>	89	20.4%	371	17.3%	379	18.5%	604	29.2%	2,804	28.6%	36	3.1%	2,314	16.9%	1,460	18.5%	685	20.9%	59	13.3%	1,637	21.1%	2,164	14.5%	41	10.1%	918	18.3%	40	18.0%	348	14.1%
<b>AGE</b>																																
<18	10.7%		18.2%		N/A		23.3%		11.3%		3.1%		10.8%		15.0%		11.0%		N/A		16.2%		11.1%		7.8%		14.2%		NC		4.6%	
18-64	17.2%		15.9%		18.5%		30.2%		29.3%		3.1%		17.6%		19.8%		22.1%		13.4%		22.0%		15.2%		10.9%		19.7%		18.9%		15.6%	
65+	52.6%		27.0%		14.3%		18.6%		22.6%		3.3%		12.0%		12.1%		4.9%		NC		12.0%		10.8%		7.1%		6.7%		NC		4.7%	
<b>ETHNICITY</b>																																
White	23.3%		17.7%		17.9%		20.5%		28.1%		2.9%		14.5%		18.4%		21.2%		13.8%		28.4%		13.8%		10.8%		18.0%		17.1%		14.4%	
Hispanic	17.5%		16.0%		13.2%		24.4%		20.8%		NC		28.4%		19.4%		21.8%		NC		28.3%		14.3%		NC		13.8%		NC		7.8%	
Black	13.3%		16.7%		23.8%		30.5%		30.9%		3.3%		21.5%		19.4%		21.8%		10.0%		16.5%		16.6%		NC		19.4%		NC		10.0%	
Asian/Pacific Islander	33.3%		28.6%		NC		45.5%		20.7%		NC		35.1%		13.7%		9.5%		NC		12.7%		21.7%		NC		20.5%		NC		14.8%	
Native American	25.0%		NC		28.6%		NC		NC		NC		25.4%		21.4%		2.6%		NC		6.9%		4.2%		NC		NC		NC		15.1%	
<b>GENDER</b>																																
Male	16.8%		18.5%		19.5%		31.6%		29.1%		3.0%		15.9%		17.8%		21.0%		14.9%		22.6%		14.8%		9.8%		18.4%		12.0%		13.1%	
Female	33.0%		15.8%		16.5%		26.2%		27.6%		3.2%		18.6%		19.9%		20.8%		10.7%		19.0%		14.1%		10.6%		18.0%		33.3%		16.3%	
<b>DIAGNOSIS</b>																																
Adults with MMI	23.8%		20.0%		20.5%		32.4%		29.5%		4.9%		19.7%		20.6%		24.5%		11.3%		27.0%		16.7%		13.5%		18.5%		16.6%		N/A	
Adults without MMI	16.7%		11.4%		13.1%		26.6%		29.0%		1.7%		15.3%		15.4%		17.4%		18.3%		19.4%		10.8%		2.3%		14.2%		22.1%		N/A	
Children with MMI	23.1%		19.0%		N/A		32.8%		13.9%		2.0%		12.2%		19.1%		17.0%		N/A		14.9%		14.6%		6.9%		19.5%		NC		N/A	
Children without MMI	NC		17.9%		N/A		18.8%		9.9%		3.9%		9.7%		12.7%		9.8%		N/A		16.5%		7.9%		8.6%		14.1%		NC		N/A	

**Q12: Readmission Within 30/180 Days**

<b>Readmission within 30 days (continued)</b>	<b>Arizona (CY'00)</b>		<b>Colorado (FY'00)</b>		<b>Connecticut (FY'00)</b>		<b>District of Columbia (FY'00)</b>		<b>Illinois (FY'00)</b>		<b>Indiana (FY'00)</b>		<b>Missouri (FY'00)</b>		<b>New York (CY'00)</b>	
<b>Total Unduplicated Served</b>	436		2,140		2,051		2,067		9,806		1,161		13,726		7,876	
<b>Total Readmitted</b>	58	13.3%	167	7.8%	191	9.3%	228	11.0%	1,331	13.6%	4	0.3%	982	7.2%	529	6.7%
<b>AGE</b>																
<18	7.1%		9.6%		N/A		8.5%		4.8%		2.3%		5.6%		5.1%	
18-64	10.7%		7.0%		9.2%		11.6%		13.9%		0.1%		7.4%		7.3%	
65+	42.1%		8.1%		14.3%		3.5%		10.4%		0.0%		5.2%		3.4%	
<b>ETHNICITY</b>																
White	15.5%		7.9%		8.7%		9.1%		13.8%		0.3%		6.2%		7.2%	
Hispanic	10.3%		6.6%		6.8%		5.8%		8.2%		NC		14.2%		6.3%	
Black	10.7%		8.8%		12.7%		11.4%		14.3%		0.5%		8.8%		6.5%	
Asian/Pacific Islander	0.0%		14.3%		NC		31.8%		12.6%		NC		15.8%		5.4%	
Native American	14.3%		NC		14.3%		NC		NC		NC		19.1%		14.3%	
<b>GENDER</b>																
Male	10.0%		8.4%		10.1%		13.0%		14.0%		0.5%		6.5%		6.1%	
Female	24.7%		7.0%		7.8%		8.6%		12.8%		0.0%		8.4%		7.9%	
<b>DIAGNOSIS</b>																
Adults with SMI	14.7%		8.6%		10.5%		12.6%		13.3%		0.2%		7.6%		7.4%	
Adults without SMI	12.2%		4.3%		6.1%		9.8%		14.7%		0.0%		7.0%		6.0%	
Children with SMI	15.4%		9.5%		N/A		9.8%		6.1%		0.0%		7.0%		6.5%	
Children without SMI	0.0%		9.6%		N/A		7.8%		4.4%		3.9%		4.6%		4.3%	

<b>Readmission within 30 days (continued)</b>	<b>Oklahoma (CY'00)</b>		<b>Rhode Island (FY'00)</b>		<b>South Carolina (FY'00)</b>		<b>Texas (FY'00)</b>		<b>Utah (FY'00)</b>		<b>Virginia (FY'00)</b>		<b>Vermont (FY'00)</b>		<b>Washington (FY'00)</b>	
<b>Total Unduplicated Served</b>	3,279		444		7,753		14,924		405		5,024		222		2,470	
<b>Total Readmitted</b>	287	8.8%	38	8.6%	725	9.4%	1,401	9.4%	12	3.0%	362	7.2%	15	6.8%	95	3.8%
<b>AGE</b>																
<18	3.2%		N/A		9.1%		8.0%		3.1%		5.9%		NC		0.0%	
18-64	9.4%		8.6%		9.4%		9.8%		3.2%		7.8%		7.3%		4.3%	
65+	2.4%		NC		7.7%		4.3%		0.0%		1.4%		NC		1.1%	
<b>ETHNICITY</b>																
White	9.2%		8.9%		12.2%		9.6%		3.1%		7.6%		5.4%		3.9%	
Hispanic	41.3%		NC		17.4%		9.5%		NC		1.5%		NC		2.6%	
Black	7.4%		2.5%		7.4%		8.8%		NC		6.8%		NC		4.7%	
Asian/Pacific Islander	4.8%		NC		7.9%		7.5%		NC		11.4%		NC		0.0%	
Native American	0.4%		NC		3.5%		12.5%		NC		NC		NC		2.7%	
<b>GENDER</b>																
Male	8.5%		9.4%		9.8%		9.5%		3.3%		6.8%		4.4%		3.0%	
Female	9.2%		7.1%		8.7%		9.2%		2.5%		7.8%		12.7%		5.7%	
<b>DIAGNOSIS</b>																
Adults with SMI	10.6%		6.9%		11.1%		10.3%		3.2%		6.7%		4.6%		N/A	
Adults without SMI	7.0%		12.7%		8.6%		7.7%		2.3%		5.5%		11.8%		N/A	
Children with SMI	6.4%		N/A		8.0%		10.8%		3.5%		8.5%		NC		N/A	
Children without SMI	2.5%		N/A		9.3%		5.6%		2.9%		6.3%		NC		N/A	

**Q12: Readmission Within 30/180 Days**

Readmission within 180 days	Arizona (CY'00)		Colorado (FY'00)		Connecticut (FY'98)		District of Columbia (FY'00)		Illinois (FY'00)		Indiana (FY'00)		Missouri (FY'00)		New York (CY'00)	
	Total Unduplicated Served		2,140		2,051		2,067		9,806		1,161		13,726		7,876	
Total Readmitted	89	20.4%	371	17.3%	379	18.5%	604	29.2%	2,804	28.6%	36	3.1%	2,314	16.9%	1,460	18.5%
<b>AGE</b>																
<18	10.7%		18.2%		N/A		23.3%		11.3%		3.1%		10.8%		15.0%	
18-64	17.2%		15.9%		18.5%		30.2%		29.3%		3.1%		17.6%		19.8%	
65+	52.6%		27.0%		14.3%		18.6%		22.6%		3.3%		12.0%		12.1%	
<b>ETHNICITY</b>																
White	23.3%		17.7%		17.9%		20.5%		28.1%		2.9%		14.5%		18.4%	
Hispanic	17.5%		16.0%		13.2%		24.4%		20.8%		NC		28.4%		19.4%	
Black	13.3%		16.7%		23.8%		30.5%		30.9%		3.3%		21.5%		19.4%	
Asian/Pacific Islander	33.3%		28.6%		NC		45.5%		20.7%		NC		35.1%		13.7%	
Native American	25.0%		NC		28.6%		NC		NC		NC		25.4%		21.4%	
<b>GENDER</b>																
Male	16.8%		18.5%		19.5%		31.6%		29.1%		3.0%		15.9%		17.8%	
Female	33.0%		15.8%		16.5%		26.2%		27.6%		3.2%		18.6%		19.9%	
<b>DIAGNOSIS</b>																
Adults with MMI	23.8%		20.0%		20.5%		32.4%		29.5%		4.9%		19.7%		20.6%	
Adults without MMI	16.7%		11.4%		13.1%		26.6%		29.0%		1.7%		15.3%		15.4%	
Children with MMI	23.1%		19.0%		N/A		32.8%		13.9%		2.0%		12.2%		19.1%	
Children without MMI	NC		17.9%		N/A		18.8%		9.9%		3.9%		9.7%		12.7%	

Readmission within 180 days (continued)	Oklahoma (CY'00)		Rhode Island (FY'00)		South Carolina (FY'00)		Texas (FY'00)		Utah (FY'00)		Virginia (FY'00)		Vermont (FY'00)		Washington (FY'00)	
	Total Unduplicated Served		444		7,753		14,923		405		5,024		222		2,470	
Total Readmitted	685	20.9%	59	13.3%	1,637	21.1%	2,164	14.5%	41	10.1%	918	18.3%	40	18.0%	348	14.1%
<b>AGE</b>																
<18	11.0%		N/A		16.2%		11.1%		7.8%		14.2%		NC		4.6%	
18-64	22.1%		13.4%		22.0%		15.2%		10.9%		19.7%		18.9%		15.6%	
65+	4.9%		NC		12.0%		10.8%		7.1%		6.7%		NC		4.7%	
<b>ETHNICITY</b>																
White	21.2%		13.8%		28.4%		13.8%		10.8%		18.0%		17.1%		14.4%	
Hispanic	21.8%		NC		28.3%		14.3%		NC		13.8%		NC		7.8%	
Black	21.8%		10.0%		16.5%		16.6%		NC		19.4%		NC		10.0%	
Asian/Pacific Islander	9.5%		NC		12.7%		21.7%		NC		20.5%		NC		14.8%	
Native American	2.6%		NC		6.9%		4.2%		NC		NC		NC		15.1%	
<b>GENDER</b>																
Male	21.0%		14.9%		22.6%		14.8%		9.8%		18.4%		12.0%		13.1%	
Female	20.8%		10.7%		19.0%		14.1%		10.6%		18.0%		33.3%		16.3%	
<b>DIAGNOSIS</b>																
Adults with MMI	24.5%		11.3%		27.0%		16.7%		13.5%		18.5%		16.6%		N/A	
Adults without MMI	17.4%		18.3%		19.4%		10.8%		2.3%		14.2%		22.1%		N/A	
Children with MMI	17.0%		N/A		14.9%		14.6%		6.9%		19.5%		NC		N/A	
Children without MMI	9.8%		N/A		16.5%		7.9%		8.6%		14.1%		NC		N/A	

**Q13: Hours Of Seclusion per 1,000 Inpatient Hours**

	AZ	CO	CT	IL	MO	OK	RI	TX	UT	VA	VT	WA
Statewide Rate	0.29	6.21	0.13	0.07	0.65	0.19	0.02	0.04	1.31	0.94	1.77	0.56
AGE												
Youth (0-17)	0.45	11.30	NA	NR	0.75	0.01	NA	0.07	6.94	NR	NA	20.45
Adult (18+)	0.29	5.27	0.13	NR	0.64	0.20	0.02	0.04	0.17	NR	1.77	0.51
GENDER												
Female	0.28	4.32	0.20	NR	0.90	0.20	0.03	0.06	1.04	NR	3.23	0.38
Male	0.30	7.44	0.10	NR	0.56	0.19	0.02	0.03	1.47	NR	0.91	0.63
RACE/ETHNICITY												
White	0.23	4.58	0.09	NR	0.64	0.13	0.01	0.03	1.22	NR	1.49	0.53
Non-White	0.40	10.31	0.21	NR	0.66	0.33	0.10	0.05	1.90	NR	3.80	0.66
DIAGNOSIS												
Adult MMI	0.28	NR	0.15	NR	0.63	0.24	0.02	0.04	0.14	NR	NR	0.59
Adult Other	0.36	NR	0.05	NR	0.67	0.07	0.03	0.02	0.27	NR	NR	0.46
Youth MMI	0.50	NR	NA	NR	0.46	0.00	NA	0.02	5.84	NR	NA	NC
Youth Other	NC	NR	NA	NR	1.02	0.01	NA	0.13	8.14	NR	NA	NC

\* NR: not reported NA: Not Applicable, State Hospital does not serve age group

FY2000: CO, RI, UT, VT; FY2001: AZ, MO, OK, VA, WA; CY2000: IL, TX; CY2001: CT

Data includes only state hospitals except in RI where data represent one general hospital with an inpatient psychiatric unit and one private hospital with state contracted beds.

TX and VA do not serve consumers in their state hospitals with a primary diagnosis of substance abuse.

CT, RI and VT do not serve youth in their state hospitals.

RI does not include forensic consumers in their data.

**Q13: Percent of Consumers Secluded to Total Number of Inpatient Consumers**

	AZ	CO	CT	IL	MO	OK	RI	TX	UT	VA	VT	WA
Statewide Rate	17.9	25.7	6.6	5.0	6.0	1.5	3.2	2.4	14.1	4.2	21.7	7.5
<b>AGE</b>												
Youth (0-17)	29.3	37.3	NA	NR	12.5	0.3	NA	3.9	47.1	NR	NA	NC
Adult (18+)	17.2	21.8	6.6	NR	5.4	1.6	3.2	2.1	7.4	NR	22.0	7.5
<b>GENDER</b>												
Female	22.9	16.7	7.6	NR	5.1	1.3	3.6	2.5	14.4	NR	43.9	6.8
Male	16.7	32.0	6.1	NR	6.4	1.7	2.9	2.3	13.9	NR	13.0	7.8
<b>RACE/ETHNICITY</b>												
White	15.3	21.9	6.2	NR	5.3	1.2	2.3	2.3	14.0	NR	21.5	7.5
Non-White	21.7	35.4	7.2	NR	7.5	2.6	6.4	2.5	14.7	NR	23.5	7.6
<b>DIAGNOSIS</b>												
Adult MMI	16.7	NR	4.8	NR	7.0	2.0	3.3	2.4	7.0	NR	NR	7.5
Adult Other	19.3	NR	2.9	NR	3.6	1.0	2.7	1.7	9.0	NR	NR	7.3
Youth MMI	34.4	NR	NA	NR	15.3	0.0	NA	3.7	42.9	NR	NA	NC
Youth Other	NC	NR	NA	NR	10.2	0.6	NA	4.1	53.1	NR	NA	NC

\* NR: not reported NA: Not Applicable, State Hospital does not serve age group

FY2000: CO, RI, UT, VT; FY2001: AZ, MO, OK, VA, WA; CY2000: IL, TX; CY2001: CT

Data includes only state hospitals except in RI where data represent one general hospital with an inpatient psychiatric unit and one private hospital with state contracted beds.

TX and VA do not serve consumers in their state hospitals with a primary diagnosis of substance abuse.

CT, RI and VT do not serve youth in their state hospitals.

RI does not include forensic consumers in their data.

**Q14: Hours of Restraint per 1,000 Inpatient Hours**

	AZ	CT	IL	MO	OK	RI	TX	UT	VA	VT	WA
Statewide Rate	0.31	1.61	0.50	1.18	0.10	0.02	0.08	0.17	0.81	0.91	2.44
<b>AGE</b>											
Youth (0-17)	0.85	NA	NR	0.74	0.42	NA	0.62	0.33	NR	NA	29.55
Adult (18+)	0.29	1.61	NR	1.21	0.09	0.02	0.05	0.14	NR	0.91	2.38
<b>GENDER</b>											
Female	0.77	1.37	NR	1.87	0.07	0.02	0.13	0.27	NR	1.52	3.18
Male	0.18	1.74	NR	0.93	0.12	0.01	0.06	0.11	NR	0.55	2.13
<b>RACE/ETHNICITY</b>											
White	0.34	1.65	NR	1.50	0.05	0.02	0.07	0.17	NR	1.02	2.46
Non-White	0.25	1.54	NR	0.62	0.21	0.01	0.10	0.15	NR	0.06	2.30
<b>DIAGNOSIS</b>											
Adult MMI	0.27	1.45	NR	1.05	0.11	0.01	0.08	0.11	NR	NR	2.10
Adult Other	0.42	2.36	NR	1.62	0.04	0.07	0.10	0.26	NR	NR	2.85
Youth MMI	0.90	NA	NR	0.39	0.02	NA	0.04	0.13	NR	NA	NR
Youth Other	0.64	NA	NR	1.06	0.59	NA	0.13	0.56	NR	NA	1.42

\* NR: not reported NA: Not Applicable, State Hospital does not serve age group

FY2000: CO, RI, UT, VT; FY2001: AZ, MO,OK, VA, WA; CY2000: IL, TX; CY2001: CT

Data includes only state hospitals except in RI where data represent one general hospital with an inpatient psychiatric unit and one private hospital with state contracted beds.

TX and VA do not serve consumers in their state hospitals with a primary diagnosis of substance abuse.

CT, RI and VT do not serve youth in their state hospitals.

RI does not include forensic consumers in their data.

WA includes only one of its two state hospitals

**Q14: Percent of Consumers Restrained to Total Number of Inpatient Consumers**

	AZ	CT	IL	MO	OK	RI	TX	UT	VA	VT	WA
Statewide Rate	12.06	10.98	14.00	7.14	1.02	6.08	5.06	9.97	3.88	13.19	12.39
AGE											
Youth (0-17)	29.3	NA	NR	12.1	3.5	NA	14.5	18.5	NR	NA	37.5
Adult (18+)	11.0	11.0	NR	6.7	0.8	6.1	3.5	8.2	NR	13.4	12.2
GENDER											
Female	18.6	9.8	NR	6.3	0.6	7.7	4.8	12.1	NR	15.2	11.5
Male	10.4	11.6	NR	7.6	1.3	5.1	5.2	8.7	NR	12.4	12.8
RACE/ETHNICITY											
White	10.3	10.5	NR	6.3	0.9	7.4	4.9	9.9	NR	13.7	12.6
Non-White	14.6	11.6	NR	9.0	1.5	1.1	5.3	10.5	NR	5.9	10.9
DIAGNOSIS											
Adult MMI	10.4	12.2	NR	8.1	1.0	5.1	3.6	6.6	NR	NR	10.7
Adult Other	13.4	7.3	NR	5.1	0.6	8.9	3.4	16.0	NR	NR	14.3
Youth MMI	31.3	NA	NR	13.8	1.9	NA	17.8	11.4	NR	NA	66.7
Youth Other	22.2	NA	NR	10.7	4.4	NA	11.7	28.6	NR	NA	20.0

\* NR: not reported NA: Not Applicable, State Hospital does not serve age group

FY2000: CO, RI, UT, VT; FY2001: AZ, MO,OK, VA, WA; CY2000: IL, TX; CY2001: CT

Data includes only state hospitals except in RI where data represent one general hospital with an inpatient psychiatric unit and one private hospital with state contracted beds.

TX and VA do not serve consumers in their state hospitals with a primary diagnosis of substance abuse.

CT, RI and VT do not serve youth in their state hospitals.

RI does not include forensic consumers in their data.

WA includes only one of its two state hospitals

**Q15: Number of Medication Errors per 1,000 Inpatient Consumers**

	CT	MO	RI	VT	WA
Statewide Rate	36.35	81.22	51.80	459.26	164.94
<b>AGE</b>					
Youth (0-17)	NA	NC	NA	NA	NC
Adult (18+)	36.35	82.56	51.80	NR	165.95
<b>GENDER</b>					
Female	37.41	74.82	71.43	NR	219.96
Male	35.77	84.75	39.86	NR	138.57
<b>RACE/ETHNICITY</b>					
White	37.57	83.22	57.14	NR	163.82
Non-White	34.76	77.95	31.91	NR	169.43
<b>DIAGNOSIS</b>					
Adult MMI	39.68	107.07	45.18	NR	152.10
Adult Other	25.59	54.22	71.43	NR	195.27
Youth MMI	NA	NC	NA	NA	NC
Youth Other	NA	NC	NA	NA	NC

\* NR: not reported NC: Not calculated when N<25 or less than 3 states

NA: Not Applicable, State Hospital does not serve age group

FY2000: RI, VT; FY2001: MO, WA; CY2001: CT

Data includes only state hospitals except in RI where data represent one general hospital with an inpatient psychiatric unit and one private hospital with state contracted beds.

CT, RI and VT do not served youth in their state hospitals.

RI does not include forensic consumers in their data.

MO includes complete data for 8 facilities and partial data for one facility the fiscal year.

WA includes adult populations only.



### O6: Number of Consumer Injuries per 1,000 Inpatient Days

	AZ	IL	MO	RI	TX	VA	VT	WA
Statewide Rate	6.94	0.73	0.17	0.02	0.48	0.43	7.75	0.55
<b>AGE</b>								
Youth (0-17)	17.46	NR	0.16	NA	0.92	1.85	NA	1.08
Adult (18+)	6.53	NR	0.17	0.02	0.44	0.54	NR	0.50
<b>GENDER</b>								
Female	10.52	NR	0.27	0.03	0.54	NR	NR	0.55
Male	5.94	NR	0.13	0.01	0.44	NR	NR	0.54
<b>RACE/ETHNICITY</b>								
White	6.70	NR	0.18	0.01	0.55	NR	NR	0.58
Non-White	7.34	NR	0.16	0.03	0.39	NR	NR	0.39
<b>DIAGNOSIS</b>								
Adult MMI	5.82	NR	0.14	0.01	0.38	NR	NR	0.31
Adult Other	11.32	NR	0.23	0.08	0.69	NR	NR	1.13
Youth MMI	17.02	NR	0.28	NA	0.99	NR	NA	0.00
Youth Other	19.64	NR	0.04	NA	0.81	NR	NA	0.00

\* NR: not reported NC: Not calculated when N<25

NA: Not Applicable, State Hospital does not serve age group

FY2000: CO, RI, UT, VT; FY2001: AZ, MO,OK, VA, WA; CY2000: IL, TX; CY2001: CT

Data includes only state hospitals except in RI where data represent one general hospital with an inpatient psychiatric unit and one private hospital with state contracted beds.

TX and VA do not serve consumers in their state hospitals with a primary diagnosis of substance abuse.

CT, RI and VT do not serve youth in their state hospitals.

RI does not include forensic consumers in their data.

VA database does not allow the distinction between degree of medical intervention required.

## O7: Number of Elopements per 1,000 Inpatient Days

	AZ	CO	MO	OK	RI	SC	TX	UT	VA	VT	WA
Statewide Rate	0.27	0.77	0.32	0.30	0.02	0.13	0.22	0.15	0.16	0.57	0.75
<b>AGE</b>											
Youth (0-17)	0.00	1.01	0.32	0.78	NA	0.19	0.28	0.54	NR	NA	0.00
Adult (18+)	0.28	0.72	0.32	0.28	0.02	0.13	0.22	0.07	NR	0.57	0.75
<b>GENDER</b>											
Female	0.29	0.51	0.40	0.29	0.00	0.08	0.17	0.16	NR	0.16	0.66
Male	0.26	0.92	0.29	0.30	0.03	0.16	0.25	0.14	NR	0.80	0.79
<b>RACE/ETHNICITY</b>											
White	0.27	0.62	0.22	0.29	0.02	0.07	0.20	0.13	NR	0.64	0.68
Non-White	0.26	0.84	0.49	0.30	0.00	0.21	0.25	0.25	NR	0.00	1.03
<b>DIAGNOSIS</b>											
Adult MMI	0.27	NR	0.27	0.30	0.02	0.16	0.23	0.07	NR	NR	0.91
Adult Other	0.36	NR	0.44	0.22	0.08	0.09	0.15	0.06	NR	NR	0.34
Youth MMI	0.00	NR	0.28	2.02	NA	0.00	0.32	0.85	NR	NR	0.00
Youth Other	0.00	NR	0.35	0.28	NA	0.28	0.22	0.21	NR	NR	0.00

\* NR: not reported NC: Not calculated when N<25

NA: Not Applicable, State Hospital does not serve age group

FY2000: CO, RI, UT, VT; FY2001: AZ, MO, OK, VA, WA; CY2000: IL, TX; CY2001: CT

Data includes only state hospitals except in RI where data represent one general hospital with an inpatient psychiatric unit and one private hospital with state contracted beds.

TX and VA do not serve consumers in their state hospitals with a primary diagnosis of substance abuse.

CT, RI and VT do not serve youth in their state hospitals.

RI does not include forensic consumers in their data.



**O11b: LIVING SITUATION: 24 HOUR RESIDENTIAL**

	Arizona (FY 00/01) N=83,585		Colorado (FY 99/00) N= 75,512		Illinois (FY 00/01) N= 65,061		Missouri (FY 00/01) N= 5,171		New York (2000) N=152,944		Oklahoma (FY 00/01) N= 24,554		South Carolina (FY 99/00) N= 55,849		Texas (FY 99/00) N= 40,709		Utah (FY 99/00) N= 15,310		Vermont (FY 99/00) N= 16,254		
<b>24 Hour Residential</b>																					
<b>Total 24 Hour Residential</b>	<b>2,625</b>	<b>3.1%</b>	<b>5,199</b>	<b>6.9%</b>	<b>5,172</b>	<b>7.2%</b>	<b>1,929</b>	<b>37.3%</b>	<b>8,783</b>	<b>5.7%</b>	<b>891</b>	<b>3.6%</b>	<b>2,394</b>	<b>4.3%</b>	<b>2,316</b>	<b>5.7%</b>	<b>1,170</b>	<b>7.6%</b>	<b>1,514</b>	<b>9.3%</b>	
<b>AGE</b>																					
Youth 24 Hour Residential	449	1.9%	2,198	7.9%			n/a	n/a	689	2.5%	13	0.6%	n/a	n/a	n/a	n/a	370	6.3%	362	6.0%	
Adult 24 Hour Residential	2,006	3.5%	2,735	6.1%			1,764	37.8%	7,725	6.8%	805	3.7%	1,771	3.4%	1,939	5.1%	561	6.3%	767	10.7%	
Older Adult 24 Hour Residential	170	8.8%	266	9.5%			165	32.5%	369	3.2%	73	7.5%	623	16.2%	377	14.5%	238	47.0%	385	37.8%	
0-3	3	0.6%	60	3.6%			n/a	n/a			0	0.0%	n/a	n/a	n/a	n/a	35	9.8%	8	8.0%	
4-12	146	1.0%	786	5.3%			n/a	n/a			0	0.0%	n/a	n/a	n/a	n/a	110	3.6%	109	3.6%	
13-17	300	3.3%	1,352	11.8%			n/a	n/a			13	1.5%	n/a	n/a	n/a	n/a	225	9.2%	245	8.5%	
18-20	115	3.5%	196	6.8%	144	5.5%	30	24.0%			15	1.2%	218	6.4%	21	4.2%	87	8.5%	135	14.6%	
21-30	392	2.9%	506	4.6%	704	5.7%	240	31.6%			96	2.0%	138	1.3%	181	3.7%	159	5.3%	136	7.3%	
31-45	884	3.3%	1,198	5.8%	2,328	7.7%	777	36.5%			337	3.5%	509	2.3%	844	4.9%	197	5.7%	201	5.3%	
46-64	615	4.3%	835	8.0%	1,694	7.5%	717	43.5%			357	6.0%	906	5.5%	893	5.7%	118	7.8%	295	46.5%	
65-74	118	8.5%	153	10.2%	227	8.0%	125	44.8%			48	7.5%	336	13.4%	252	12.7%	50	22.5%	136	27.6%	
75 +	52	9.5%	113	8.7%	75	5.8%	40	17.5%			25	7.7%	287	21.3%	125	20.2%	188	66.2%	249	47.2%	
NOT AVAILABLE	n/a	n/a	n/a	n/a			n/a	n/a			n/a	n/a	n/a	n/a	n/a	n/a	1	11.1%	n/a	n/a	
<b>ETHNICITY</b>																					
Caucasian	1,868	3.4%	3,431	6.8%	2,849	6.8%	1,573	39.8%	5,171	6.5%	705	3.6%	1,132	3.3%	1,373	5.8%	785	6.6%	1,415	10.8%	
Hispanic	324	2.1%	858	5.7%	NA		10	35.7%	804	2.8%	14	2.8%	10	5.1%	357	4.1%	83	6.9%	16	8.1%	
African American	260	3.3%	494	8.7%	2,031	9.1%	318	29.0%	2,553	6.7%	92	3.8%	1,226	6.1%	565	7.1%	11	4.4%	11	7.9%	
Asian	58	8.2%	65	6.6%	45	5.9%	7	50.0%	87	4.5%	7	5.0%	5	3.0%	10	3.7%	6	4.6%	5	11.9%	
Other	115	2.6%	351	11.4%	241	4.4%	21	27.6%	168	#REF!	73	49.1%	21	2.9%	11	4.3%	285	16.3%	67	10.5%	
<b>GENDER</b>																					
Male	1,565	3.3%	2,858	8.1%	3,040	9.2%	1,122	42.3%	5,379	7.0%	568	5.0%	1,248	5.7%	1,247	7.7%	570	7.6%	775	9.9%	
Female	1,060	2.9%	2,341	5.8%	2,132	5.5%	807	32.1%	3,390	4.5%	323	2.5%	1,146	3.4%	1,069	4.4%	600	7.6%	738	8.8%	
<b>DIAGNOSIS</b>																					
Attention Deficit (314)	74	1.3%	203	4.8%			2	33.3%			0	0.0%	n/a	n/a	0	0.0%	n/a	n/a	n/a	n/a	
Conduct (312.8, 312.9, 313.81)	53	1.8%	455	9.7%			1	100.0%			6	1.4%	n/a	n/a	0	0.0%	n/a	n/a	n/a	n/a	
Mental Retardation, Autism, and Specific Development (299, 315 except 315.4, 317 - 319)	34	6.9%	55	13.7%			3	33.3%			0	0.0%	n/a	n/a	158	25.6%	n/a	n/a	n/a	n/a	
Other Childhood Disorders (307.0, 307.2-307.23, 307.52-307.59, 307.6-307.7, 313.23, 313.89, 313.9, 315.4, 787.6)	17	4.1%	85	12.0%			1	100.0%			0	0.0%	n/a	n/a	0	0.0%	n/a	n/a	n/a	n/a	
Schizophrenia (295)	680	10.2%	1,245	16.8%	2,910	11.7%	1,285	47.5%			604	13.0%	n/a	n/a	1,450	9.7%	n/a	n/a	n/a	n/a	
Delusional & Other Psychoses (297, 298)	88	5.3%	129	8.4%	372	6.7%	51	29.0%			32	3.2%	n/a	n/a	53	6.6%	n/a	n/a	n/a	n/a	
Depressive and Mood Disorders (296, 300.4, 301.13)	597	3.4%	1,664	5.9%	#REF!		420	25.7%			167	1.5%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<b>Of which 311:</b>	67	2.6%	n/a	n/a	#REF!		10	20.4%			19	0.8%	n/a	n/a	15	2.8%	n/a	n/a	n/a	n/a	
<b>Optional Breakdown for this category:</b>																					
Bipolar disorder (296, 296.4, 296.5, 296.6, 296.7, 296.8, 296.89)	277	4.9%	1,039	6.0%	796	5.9%	217	26.8%			68	2.3%	n/a	n/a	260	3.4%	n/a	n/a	n/a	n/a	
Major Depression (296.2, 296.3)	171	2.6%	106	6.1%	998	3.8%	195	25.0%			56	1.2%	n/a	n/a	224	1.6%	n/a	n/a	n/a	n/a	
Other Mood Disorders (296.9, 300.4, 301.13, 311)	149	2.9%	519	5.7%	81	8.2%	9	18.4%			43	1.3%	n/a	n/a	29	2.6%	n/a	n/a	n/a	n/a	
Dementia, Delirium & other Related Disorder due to a medical Condition (290, 293, 294, 311.0)	54	10.4%	56	7.3%			40	22.3%			15	7.3%	n/a	n/a	80	19.3%	n/a	n/a	n/a	n/a	
Substance Abuse (291-292,303-305)	289	1.8%	94	4.4%			42	21.0%			8	0.3%	n/a	n/a	22	9.8%	n/a	n/a	n/a	n/a	
Anxiety (300-300.02,300.3,308.3, 309.21, 309.81, 300.21)	75	2.1%	428	6.1%			23	31.5%			10	0.7%	n/a	n/a	10	1.8%	n/a	n/a	n/a	n/a	
<b>Of which 300.21:</b>	1	0.3%	#REF!	n/a			2	18.2%			1	0.6%	n/a	n/a	0	0.0%	n/a	n/a	n/a	n/a	
Personality Disorders (301 except 301.13, 312.3)	46	7.1%	119	9.0%			15	44.1%			22	6.2%	n/a	n/a	15	6.4%	n/a	n/a	n/a	n/a	
Other MH Diagnoses	110	1.6%	582	3.7%	81	24.2%	33	34.0%			8	0.6%	n/a	n/a	12	4.4%	n/a	n/a	n/a	n/a	
No Diagnosis, Deferred, Not Available	508	2.5%	84	6.0%			12	24.5%			19	1.8%	n/a	n/a	3	5.2%	n/a	n/a	n/a	n/a	
Adults w/ Major Mental Illness (age 18 & over & DSM: 295, 296, 297, 298)	1,206	5.9%	2,032	8.5%	5,172	7.2%	1,754	39.0%	8,744	7.4%	764	5.7%	n/a	n/a	1,996	5.3%	n/a	n/a	n/a	n/a	
<b>Of which 297 and 298:</b>	85	5.4%	#REF!	n/a			41	28.1%			32	3.2%	n/a	n/a	53	6.6%	n/a	n/a	n/a	n/a	
Other Adults	970	2.5%	969	4.1%			175	26.0%	34	0.2%	114	1.3%	n/a	n/a	300	9.1%	n/a	n/a	n/a	n/a	
Children w/ Major Mental Illness (under age 18 & DSM: 295, 296, 297, 298)	126	1.8%	606	8.3%			n/a	n/a			2	0.5%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<b>Of which 297 and 298:</b>	3	3.7%	n/a	n/a			n/a	n/a			0	0.0%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Other Children	323	1.9%	1,592	7.7%			n/a	n/a			11	0.7%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	



**O11d: LIVING SITUATION: HOMELESS/SHELTER**

	Arizona (FY 00/01) N=83,585		Colorado (FY 99/00) N= 75,512		Illinois (FY 00/01) N= 65,061		Missouri (FY 00/01) N= 5,171		New York (2000) N=152,944		Oklahoma (FY 00/01) N= 24,554		South Carolina (FY 99/00) N= 55,849		Texas (FY 99/00) N= 40,709		Utah (FY 99/00) N= 15,310		Vermont (FY 99/00) N= 16,254		
<b>Homeless/Shelter</b>																					
<b>Total Homeless/Shelter</b>	<b>5,212</b>	<b>6.2%</b>	<b>1,611</b>	<b>2.1%</b>	<b>3,051</b>	<b>4.3%</b>	<b>221</b>	<b>4.3%</b>	<b>4,612</b>	<b>3.0%</b>	<b>1,251</b>	<b>5.1%</b>	<b>672</b>	<b>1.2%</b>	<b>730</b>	<b>1.8%</b>	<b>338</b>	<b>2.2%</b>	<b>214</b>	<b>1.3%</b>	
<b>AGE</b>																					
Youth Homeless/Shelter	331	1.4%	141	0.5%			n/a	n/a	337	1.2%	33	1.6%	n/a	n/a	n/a	n/a	45	0.8%	20	0.3%	
Adult Homeless/Shelter	4,810	8.4%	1,462	3.3%			191	4.1%	4,081	3.6%	1,209	5.6%	670	1.3%	723	1.9%	289	3.2%	190	2.6%	
Older Adult Homeless/Shelter	71	3.7%	8	0.3%			30	5.9%	194	1.7%	9	0.9%	2	0.1%	7	0.3%	4	0.8%	4	0.4%	
0-3	9	1.8%	12	0.7%			n/a	n/a			2	5.4%	n/a	n/a	n/a	n/a	2	0.6%	2	2.0%	
4-12	209	1.4%	62	0.4%			n/a	n/a			19	1.7%	n/a	n/a	n/a	n/a	19	0.6%	9	0.3%	
13-17	113	1.2%	67	0.6%			n/a	n/a			12	1.4%	n/a	n/a	n/a	n/a	24	1.0%	9	0.3%	
18-20	154	4.6%	69	2.4%	75	2.9%	9	7.2%			43	3.5%	14	0.4%	14	2.8%	28	2.7%	22	2.4%	
21-30	902	6.7%	286	2.6%	555	4.5%	44	5.8%			244	5.1%	114	1.1%	129	2.7%	70	2.3%	40	2.1%	
31-45	2,606	9.8%	791	3.9%	1,568	5.2%	98	4.6%			614	6.4%	373	1.7%	382	2.2%	134	3.9%	73	1.9%	
46-64	1,148	8.0%	316	3.0%	794	3.5%	40	2.4%			308	5.2%	169	1.0%	198	1.3%	57	3.8%	55	8.7%	
65-74	59	4.2%	8	0.5%	43	1.5%	10	3.6%			8	1.2%	2	0.1%	6	0.3%	3	1.4%	3	0.6%	
75 +	12	2.2%	0	0.0%	16	1.2%	20	8.7%			1	0.3%	0	0.0%	1	0.2%	1	0.4%	1	0.2%	
NOT AVAILABLE	n/a	n/a	n/a	n/a			n/a	n/a			n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<b>ETHNICITY</b>																					
Caucasian	3,239	5.9%	1,065	2.1%	1,209	2.9%	139	3.5%	1,158	1.4%	957	4.9%	405	1.2%	405	1.7%	258	2.2%	195	1.3%	
Hispanic	776	5.0%	201	1.3%	NA		1	3.6%	1,031	3.6%	22	4.4%	6	3.1%	126	1.5%	23	1.9%	2	1.0%	
African American	752	9.5%	248	4.3%	1,583	7.1%	75	6.8%	2,169	5.7%	182	7.6%	247	1.2%	188	2.4%	23	9.2%	7	5.0%	
Asian	30	4.2%	17	1.7%	15	2.0%	1	7.1%	38	2.0%	3	2.1%	1	0.6%	3	1.1%	4	3.1%	#REF!	#REF!	
Other	415	9.4%	80	2.6%	232	4.2%	5	6.6%	216	#REF!	87	#REF!	13	1.8%	8	3.1%	30	1.7%	10	1.6%	
<b>GENDER</b>																					
Male	3,650	7.8%	592	2.9%	1,865	5.6%	121	4.6%	2,852	3.7%	722	6.3%	430	2.0%	384	2.4%	199	2.7%	116	1.5%	
Female	1,562	4.3%	1,019	1.5%	1,186	3.1%	100	4.0%	1,753	2.3%	529	4.0%	242	0.7%	346	1.4%	139	1.8%	98	1.2%	
<b>DIAGNOSIS</b>																					
Attention Deficit (314)	68	1.2%	14	0.3%			0	0.0%			2	0.8%	n/a	n/a	0	0.0%	n/a	n/a		n/a	
Conduct (312.8, 312.9, 313.81)	42	1.4%	18	0.4%			0	0.0%			7	1.6%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Mental Retardation, Autism, and Specific Development (299, 315 except 315.4, 317 - 319)	4	0.8%	4	1.0%			1	11.1%			0	0.0%	n/a	n/a	1	0.2%	n/a	n/a		n/a	
Other Childhood Disorders (307.0, 307.2-307.23, 307.52-307.59, 307.6-307.7, 313.23, 313.89, 313.9, 315.4, 787.6)	3	0.7%	3	0.4%			0	0.0%			0	0.0%	n/a	n/a			n/a	n/a		n/a	
Schizophrenia (295)	396	5.9%	299	4.0%	1,095	4.4%	78	2.9%			296	6.4%	n/a	n/a	244	1.6%	n/a	n/a		n/a	
Delusional & Other Psychoses (297, 298)	165	10.0%	136	8.9%	380	6.8%	11	6.3%			101	10.0%	n/a	n/a	20	2.5%	n/a	n/a		n/a	
Depressive and Mood Disorders (296, 300.4, 301.13)	759	4.3%	622	2.2%	#REF!		71	4.3%			578	5.2%	n/a	n/a			n/a	n/a		n/a	
<b>Of which 311:</b>	105	4.1%	#REF!	n/a	#REF!		6	12.2%			106	4.6%	n/a	n/a	19	3.6%	n/a	n/a		n/a	
<b>Optional Breakdown for this category:</b>																					
Bipolar disorder (296, 296.4, 296.5, 296.6, 296.7, 296.8, 296.89)	305	5.4%	427	2.5%	571	4.3%	33	4.1%			190	6.5%	n/a	n/a	135	1.8%	n/a	n/a	n/a	n/a	
Major Depression (296.2, 296.3)	266	4.0%	63	3.6%	929	3.5%	34	4.4%			244	5.2%	n/a	n/a	243	1.8%	n/a	n/a	n/a	n/a	
Other Mood Disorders (296.9, 300.4, 301.13, 311)	188	3.6%	132	1.5%	64	6.5%	5	10.2%			144	4.2%	n/a	n/a	43	3.9%	n/a	n/a	n/a	n/a	
Dementia, Delirium & other Related Disorder due to a medical Condition (290, 293, 294, 311.0)	13	2.5%	16	2.1%			17	4.4%			7	3.4%	n/a	n/a	4	1.0%	n/a	n/a	n/a	n/a	
Substance Abuse (291-292,303-305)	884	5.5%	239	11.2%			28	9.5%			145	5.8%	n/a	n/a	16	7.1%	n/a	n/a	n/a	n/a	
Anxiety (300-300.02,300.3,308.3, 309.21, 309.81, 300.21)	98	2.8%	79	1.1%			7	9.6%			44	2.9%	n/a	n/a	10	1.8%	n/a	n/a	n/a	n/a	
<b>Of which 300.21:</b>	9	2.4%	#REF!	n/a			1	9.1%			3	1.8%	n/a	n/a	1	0.8%	n/a	n/a	n/a	n/a	
Personality Disorders (301 except 301.13, 312.3)	13	2.0%	30	2.3%			2	5.9%			11	3.1%	n/a	n/a	4	1.7%	n/a	n/a	n/a	n/a	
Other MH Diagnoses	173	2.4%	124	0.8%	12	3.6%	2	2.1%			37	2.6%	n/a	n/a	9	3.3%	n/a	n/a	n/a	n/a	
No Diagnosis, Deferred, Not Available	2,594	12.9%	27	1.9%			3	6.1%			23	2.2%	n/a	n/a			n/a	n/a	n/a	n/a	
Adults w/ Major Mental Illness (age 18 & over & DSM: 295, 296, 297, 298)	1,170	5.8%	790	3.3%	4,502	6.3%	157	3.5%	2,755	2.3%	845	6.3%	n/a	n/a	660	1.8%	n/a	n/a	n/a	n/a	
<b>Of which 297 and 298:</b>	164	10.5%	#REF!	n/a			9	6.2%			100	10.0%	n/a	n/a	20	2.5%	n/a	n/a	n/a	n/a	
Other Adults	3,711	9.5%	680	2.9%			64	9.5%	1,142	5.9%	373	4.1%	n/a	n/a	70	2.1%	n/a	n/a	n/a	n/a	
Children w/ Major Mental Illness (under age 18 & DSM: 295, 296, 297, 298)	74	1.1%	37	0.5%				0.0%			5	1.2%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
<b>Of which 297 and 298:</b>	1	1.2%	#REF!	n/a				0.0%			1	11.1%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Other Children	257	1.5%	104	0.5%				0.0%			28	1.7%	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	





**O11g: LIVING SITUATION: UNKNOWN**

	Arizona (FY 00/01) N=83,585	Colorado (FY 99/00) N= 75,512	Illinois (FY 00/01) N= 65,061	Missouri (FY 00/01) N= 5,171	New York (2000) N=152,944	Oklahoma (FY 00/01) N= 24,554	South Carolina (FY 99/00) N= 55,849	Texas (FY 99/00) N= 40,709	Utah (FY 99/00) N= 15,310	Vermont (FY 99/00) N= 16,254							
<b>Unknown</b>																	
<b>Total Unknown</b>	<b>3,480</b>	<b>4.2%</b>	<b>n/a</b>	<b>6,662</b>	<b>9.3%</b>	<b>9</b>	<b>0.2%</b>	<b>26,058</b>	<b>17.0%</b>	<b>0.0%</b>	<b>1,453</b>	<b>2.6%</b>	<b>n/a</b>	<b>2,157</b>	<b>13.3%</b>		
<b>AGE</b>																	
Youth Unknown	782	3.2%	n/a			n/a	3,909	14.2%		0.0%		n/a		31.5%	1,087	18.0%	
Adult Unknown	2,530	4.4%	n/a			8	0.2%	18,702	16.4%		0.0%	1,379	2.7%		27.9%	925	12.9%
Older Adult Unknown	168	8.7%	n/a			1	0.2%	3,447	29.7%		0.0%	74	1.9%		28.3%	143	14.0%
0-3	2	0.4%	n/a				n/a				0.0%		n/a		119.8%	44	44.0%
4-12	439	3.0%	n/a				n/a				0.0%		n/a		27.0%	472	15.4%
13-17	341	3.7%	n/a				n/a				0.0%		n/a		24.1%	571	19.8%
18-20	95	2.9%	n/a	198	7.6%	2	1.6%				0.0%	107	3.1%		29.2%	160	17.3%
21-30	405	3.0%	n/a	1,014	8.2%	1	0.1%				0.0%	374	3.7%		29.0%	193	10.4%
31-45	1,156	4.4%	n/a	2,894	9.6%	4	0.2%				0.0%	615	2.8%		28.4%	338	9.0%
46-64	874	6.1%	n/a	2,156	9.6%	1	0.1%				0.0%	283	1.7%		23.6%	234	36.9%
65-74	110	7.9%	n/a	262	9.2%	1	0.4%				0.0%	39	1.6%		23.0%	55	11.2%
75 +	58	10.5%	n/a	138	10.7%	0	0.0%				0.0%	35	2.6%		32.4%	88	16.7%
NOT AVAILABLE		n/a	n/a				n/a				n/a		n/a		0.0%		100.0%
<b>ETHNICITY</b>																	
Caucasian	2,267	4.1%	n/a	3,746	8.9%	8	0.2%	14,196	17.7%		0.0%	944	2.7%		17.9%	1,640	10.8%
Hispanic	669	4.3%	n/a	NA		0	0.0%	3,383	11.7%		0.0%	14	7.2%		21.8%	8	4.1%
African American	419	5.3%	n/a	1,972	8.8%	1	0.1%	6,811	17.9%		0.0%	437	2.2%		16.7%	11	7.9%
Asian	20	2.8%	n/a	64	8.4%	0	0.0%	313	16.2%		0.0%	9	5.5%		6.1%	3	7.1%
Other	105	2.4%	n/a	868	15.7%	0	0.0%	1,355	#REF!		0.0%	49	6.8%		129.8%	495	77.7%
<b>GENDER</b>																	
Male	1,774	3.8%	n/a	3,042	9.2%	5	0.2%	13,904	18.0%		0.0%	769	3.5%		37.8%	1,074	13.7%
Female	1,706	4.7%	n/a	3,620	9.4%	4	0.2%	12,097	16.0%		0.0%	684	2.0%		24.3%	1,078	12.8%
<b>DIAGNOSIS</b>																	
Attention Deficit (314)	328	5.6%	n/a			0	0.0%				0.0%		n/a		n/a		n/a
Conduct (312.8, 312.9, 313.81)	59	2.0%	n/a			0	0.0%				0.0%		n/a		n/a		n/a
Mental Retardation, Autism, and Specific Development (299, 315 except 315.4, 317 - 319)	27	5.5%	n/a			0	0.0%				0.0%		n/a		n/a		n/a
Other Childhood Disorders (307.0, 307.2-307.23, 307.52-307.59, 307.6-307.7, 313.23, 313.89, 313.9, 315.4, 787.6)	12	6.4%	n/a			0	0.0%				0.0%		n/a		n/a		n/a
Schizophrenia (295)	398	6.0%	n/a	2,379	9.6%	4	0.1%				0.0%		n/a		n/a		n/a
Delusional & Other Psychoses (297, 298)	106	6.4%	n/a	587	10.5%	1	0.6%				0.0%		n/a		n/a		n/a
Depressive and Mood Disorders (296, 300.4, 301.13)	980	5.6%	n/a	#REF!		3	0.2%				0.0%		n/a		n/a		n/a
<b>Of which 311:</b>	<b>110</b>	<b>4.3%</b>	<b>n/a</b>	<b>#REF!</b>		<b>0</b>	<b>0.0%</b>				<b>0.0%</b>		<b>n/a</b>		<b>n/a</b>		<b>n/a</b>
<b>Optional Breakdown for this category:</b>																	
Bipolar disorder (296, 296.4, 296.5, 296.6, 296.7, 296.8, 296.89)	347	6.1%	n/a	1,341	10.0%	1	0.1%				n/a		n/a		n/a		n/a
Major Depression (296.2, 296.3)	403	6.0%	n/a	2,272	8.6%	2	0.3%				n/a		n/a		n/a		n/a
Other Mood Disorders (296.9, 300.4, 301.13, 311)	230	4.4%	n/a	70	7.1%	0	0.0%				n/a		n/a		n/a		n/a
Dementia, Delirium & other Related Disorder due to a medical Condition (290, 293, 294, 311.0)	22	4.2%	n/a			3	0.0%				n/a		n/a		n/a		n/a
Substance Abuse (291-292, 303-305)	274	1.7%	n/a			0	0.5%				n/a		n/a		n/a		n/a
Anxiety (300-300.02, 300.3, 308.3, 309.21, 309.81, 300.21)	182	5.1%	n/a			1	0.0%				n/a		n/a		n/a		n/a
<b>Of which 300.21:</b>	<b>33</b>	<b>8.9%</b>	<b>n/a</b>			<b>0</b>	<b>0.0%</b>				<b>n/a</b>		<b>n/a</b>		<b>n/a</b>		<b>n/a</b>
Personality Disorders (301 except 301.13, 312.3)	37	5.7%	n/a			0	0.0%				n/a		n/a		n/a		n/a
Other MH Diagnoses	128	1.8%	n/a	13	3.9%	0	0.0%				n/a		n/a		n/a		n/a
No Diagnosis, Deferred, Not Available	927	4.6%	n/a			0	0.0%				n/a		n/a		n/a		n/a
Adults w/ Major Mental Illness (age 18 & over & DSM: 295, 296, 297, 298)	1,241	6.1%	n/a	6,662	9.3%	0	0.2%	21,692	18.4%		n/a		n/a		n/a		n/a
<b>Of which 297 and 298:</b>	<b>100</b>	<b>6.4%</b>	<b>n/a</b>			<b>8</b>	<b>0.7%</b>				<b>n/a</b>		<b>n/a</b>		<b>n/a</b>		<b>n/a</b>
Other Adults	1,457	3.7%	n/a			1	0.1%	1,462	7.5%		n/a		n/a		n/a		n/a
Children w/ Major Mental Illness (under age 18 & DSM: 295, 296, 297, 298)	366	5.3%	n/a			1	0.0%				n/a		n/a		n/a		n/a
<b>Of which 297 and 298:</b>	<b>6</b>	<b>7.4%</b>	<b>n/a</b>				<b>0.0%</b>				<b>n/a</b>		<b>n/a</b>		<b>n/a</b>		<b>n/a</b>
Other Children	416	2.4%	n/a				0.0%				n/a		n/a		n/a		n/a

\* Unknowns are not included in the final client count. Percents for each subgroup are calculated using only those clients with reported data.

**O12: Criminal Justice Involvement of Consumers of Community Mental Health Programs, FY2000**

	Arrests				Prison	Jail/Prison	
	AZ	CT	RI	VT	OK	RI	VT
Statewide Rate	13.7%	8.0%	6.1%	11.0%	3.7%	3.1%	7.0%
Age Group							
18-30	19.2%	12.0%	16.2%	15.0%	4.4%	8.0%	17.0%
31-45	15.2%	9.0%	8.7%	12.0%	4.2%	4.5%	12.0%
46-64	6.7%	5.0%	2.6%	5.0%	1.5%	0.9%	7.0%
Gender							
Female	8.6%	7.0%	4.1%	6.0%	1.6%	1.5%	2.0%
Male	18.4%	9.0%	8.3%	17.0%	6.0%	4.6%	12.0%
Race/Ethnicity							
Non-white	17.3%	7.0%	5.6%	15.0%	5.5%	4.2%	9.0%
White	12.1%	8.0%	6.1%	11.0%	3.2%	2.6%	6.0%
Diagnosis							
Adults w/SMI	8.2%	--	6.1%	7.0%	3.4%	3.1%	6.0%
Other Adults	16.7%	--	--	12.0%	3.9%	--	7.0%

Includes all adult consumers of community mental health programs with the following caveats:

    OK includes only consumers admitted to programs in 2000

    RI includes consumers of programs for SMI adults

    CT was not able to distinguish between consumers with SMI and other disorders

This indicator is a measure of the proportion of consumers served in a year who were also involved with a specific aspect of the criminal justice system in the same year. No order to the events of treatment and contact with criminal justice should be assumed.

All states except RI used a data matching method to determine the proportion of mental health consumers with contacts with the criminal justice system.