

Behavioral Healthcare Performance Measurement System

#### **Seclusion Hours**

©Copyright NASMHPD Research Institute, 1999-2013.

Citation: NRI Performance Measurement System. National Public Rates, Age Stratification Report: Seclusion Hours. Falls Church, VA: National Association of State Mental Health Program Directors Research Institute, Inc. November 2013

Mental health service providers are consumer-focused and value an individual's autonomy and independence. Therefore, these providers seek to minimize use of service modalities that are physically restrictive. While restrictive methods are utilized in some instances, utilization of such methods must be minimized and closely monitored. Over-utilization of highly restrictive methods suggests either the lack of availability or knowledge of more appropriate, less restrictive practices.

These seclusion measures include all involuntary confinement of an individual alone in a room. Seclusion hours are measured in terms of 1000 inpatient hours. Inpatient hours are calculated as the number of days each individual was on the inpatient census multiplied by 24. A 30-bed facility with full census for a month totals 21,600 inpatient hours. A rate of 0.8 means that there were 17.3 hours of seclusion during the month in this facility.

In general, a preferred direction for improvement is embedded in any performance measure. However, an apparent trend in the rates at the national level could be partially attributed to a change in the number of facilities, the rates of facilities participating in this measure, or both. Without established overall target levels as a guide, the interpretation of rates must take into consideration the context within which facilities operate.

Reporting Period	Overall Rate	Age 12 years and under	Age 13-17 years	Age 18-24 years	Age 25-44 years	Age 45-64 years	Age 65 years and older
Jan-11	0.43	0.93	0.31	1.03	0.68	0.18	0.04
Feb-11	0.48	0.84	0.26	1.57	0.78	0.12	0.02
Mar-11	0.42	1.17	0.36	1.04	0.60	0.22	0.02
Apr-11	0.40	1.04	0.33	0.74	0.63	0.20	0.07
May-11	0.36	0.94	0.21	0.79	0.54	0.19	0.03
Jun-11	0.37	0.95	0.52	0.89	0.50	0.18	0.13
Jul-11	0.31	0.84	0.23	0.59	0.46	0.17	0.02
Aug-11	0.32	0.71	0.18	0.65	0.43	0.22	0.01
Sep-11	0.40	1.03	0.19	0.74	0.54	0.28	0.06
Oct-11	0.33	0.86	0.37	0.60	0.42	0.26	0.02
Nov-11	0.38	0.76	0.45	0.47	0.60	0.23	0.05
Dec-11	0.38	0.79	0.24	0.38	0.63	0.22	0.05
Jan-12	0.48	0.87	0.25	0.71	0.80	0.25	0.05
Feb-12	0.46	0.99	0.35	0.77	0.70	0.26	0.03
Mar-12	0.48	0.83	0.44	0.94	0.70	0.27	0.06
Apr-12	0.43	0.84	0.35	0.86	0.66	0.22	0.05
May-12	0.48	0.94	0.30	0.95	0.72	0.25	0.05
Jun-12	0.54	0.96	0.47	0.74	0.82	0.36	0.02
Jul-12	0.58	0.89	0.19	1.40	0.82	0.32	0.10
Aug-12	0.55	0.94	0.29	1.53	0.77	0.26	0.04
Sep-12	0.48	0.98	0.27	0.74	0.80	0.23	0.03
Oct-12	0.45	1.09	0.35	0.96	0.68	0.22	0.04
Nov-12	0.52	0.99	0.28	1.47	0.72	0.25	0.05
Dec-12	0.51	0.94	0.28	1.54	0.70	0.23	0.05
Jan-13	0.51	1.25	0.28	1.12	0.80	0.22	0.04
Feb-13	0.50	1.63	0.33	1.01	0.79	0.23	0.04
Mar-13	0.39	1.06	0.24	0.69	0.54	0.26	0.04
Apr-13	0.40	1.20	0.21	0.73	0.54	0.27	0.06
May-13	0.47	1.05	0.30	0.82	0.72	0.27	0.04
Jun-13	0.44	1.21	0.31	0.68	0.66	0.26	0.02




Behavioral Healthcare Performance Measurement System


### **Seclusion Hours**

©Copyright NASMHPD Research Institute, 1999-2013.


## Clients age 12 years and under



## Clients age 13-17 years



Clients age 18-24 years






Behavioral Healthcare Performance Measurement System


### **Seclusion Hours**

©Copyright NASMHPD Research Institute, 1999-2013.


# Clients age 25-44 years



### Clients age 45-64 years



## Clients age 65 years and older





Behavioral Healthcare Performance Measurement System

#### Percent of Clients Secluded

©Copyright NASMHPD Research Institute, 1999-2013.

Citation: NRI Performance Measurement System. National Public Rates, Age Stratification Report: Percent of Cleints Secluded. Falls Church, VA: National Association of State Mental Health Program Directors Research Institute, Inc. November 2013

Mental health service providers are consumer-focused and value an individual's autonomy and independence. Therefore, these providers seek to minimize use of service modalities that are physically restrictive. While restrictive methods are utilized in some instances, utilization of such methods must be minimized and closely monitored. Over-utilization of highly restrictive methods suggests either the lack of availability or knowledge of more appropriate, less restrictive practices.

These seclusion measures include all involuntary confinement of an individual alone in a room. Percent of clients secluded is measured in terms of unique individuals who were secluded at least once during the reporting period.

In general, a preferred direction for improvement is embedded in any performance measure. However, an apparent trend in the rates at the national level could be partially attributed to a change in the number of facilities, the rates of facilities participating in this measure, or both. Without established overall target levels as a guide, the interpretation of rates must take into consideration the context within which facilities operate.

Reporting Period	Overall Rate	Age 12 years and under	Age 13-17 years	Age 18-24 years	Age 25-44 years	Age 45-64 years	Age 65 years and older
Jan-11	2.35	14.96	6.40	4.41	2.59	1.25	0.47
Feb-11	2.15	17.65	6.27	3.75	2.31	1.08	0.49
Mar-11	2.38	18.61	6.28	4.12	2.47	1.28	0.54
Apr-11	2.45	17.96	5.20	4.88	2.55	1.28	0.95
May-11	2.38	15.86	6.14	4.39	2.52	1.30	0.46
Jun-11	2.32	16.49	6.47	4.30	2.51	1.21	0.44
Jul-11	2.38	16.70	5.89	4.47	2.74	1.16	0.51
Aug-11	2.18	17.69	5.36	4.12	2.37	1.12	0.29
Sep-11	2.20	16.63	4.34	4.17	2.42	1.21	0.41
Oct-11	2.34	18.89	6.20	4.08	2.62	1.11	0.51
Nov-11	2.34	17.17	6.26	4.10	2.54	1.17	0.75
Dec-11	2.28	15.38	5.98	3.81	2.41	1.35	0.64
Jan-12	2.50	17.20	5.92	4.76	2.60	1.38	0.67
Feb-12	2.41	18.00	6.09	4.33	2.41	1.37	0.45
Mar-12	2.53	15.30	6.20	4.74	2.72	1.27	0.60
Apr-12	2.47	18.95	5.82	4.72	2.46	1.31	0.58
May-12	2.42	19.69	5.75	4.11	2.40	1.35	0.64
Jun-12	2.40	17.61	5.97	4.45	2.45	1.32	0.55
Jul-12	2.47	18.95	6.33	4.68	2.58	1.30	0.65
Aug-12	2.50	18.36	6.03	4.06	2.69	1.41	0.71
Sep-12	2.39	15.80	5.41	4.74	2.41	1.43	0.56
Oct-12	2.39	17.72	5.48	4.22	2.47	1.33	0.69
Nov-12	2.30	16.22	5.22	4.13	2.38	1.34	0.64
Dec-12	2.42	15.54	5.98	4.86	2.42	1.38	0.77
Jan-13	2.30	16.70	5.31	3.98	2.46	1.27	0.73
Feb-13	2.23	17.60	5.06	4.22	2.29	1.22	0.48
Mar-13	2.40	15.40	4.99	4.18	2.48	1.41	0.91
Apr-13	2.39	17.62	4.86	4.22	2.45	1.35	0.72
May-13	2.32	16.75	4.90	4.14	2.36	1.28	0.63
Jun-13	2.39	16.74	4.82	4.46	2.53	1.35	0.58

Using Data, Changing Practice (R)




Behavioral Healthcare Performance Measurement System


### **Percent of Clients Secluded**

©Copyright NASMHPD Research Institute, 1999-2013.


## Clients age 12 years and under



## Clients age 13-17 years



### Clients age 18-24 years






Behavioral Healthcare Performance Measurement System


### **Percent of Clients Secluded**

©Copyright NASMHPD Research Institute, 1999-2013.


# Clients age 25-44 years



### Clients age 45-64 years



### Clients age 65 years and older





Behavioral Healthcare Performance Measurement System

#### **Restraint Hours**

©Copyright NASMHPD Research Institute, 1999-2013.

Citation: NRI Performance Measurement System. National Public Rates, Age Stratification Report: Restraint Hours. Falls Church, VA: National Association of State Mental Health Program Directors Research Institute, Inc. November 2013

Mental health service providers are consumer-focused and value an individual's autonomy and independence. Therefore, these providers seek to minimize use of service modalities that are physically restrictive. While restrictive methods are utilized in some instances, utilization of such methods must be minimized and closely monitored. Over-utilization of highly restrictive methods suggests either the lack of availability or knowledge of more appropriate, less restrictive practices.

These restraint measures include all mechanical holds (both ambulatory and non-ambulatory) and manual holds of any duration. Restraint hours are measured in terms of 1000 inpatient hours. Inpatient hours are calculated as the number of days each individual was included in the inpatient census multiplied by 24. A 30-bed facility with full census for a month totals 21,600 inpatient hours. A rate of 1.6 means that there were 34.5 hours of restraint during the month in this facility.

In general, a preferred direction for improvement is embedded in any performance measure. However, an apparent trend in the rates at the national level could be partially attributed to a change in the number of facilities, the rates of facilities participating in this measure, or both. Without established overall target levels as a guide, the interpretation of rates must take into consideration the context within which facilities operate.

the interpretation of	Overall	Age 12 years	Age 13-17	Age 18-24	Age 25-44	Age 45-64	Age 65 years
Reporting Period	Rate	and under	years	years	years	years	and older
Jan-11	0.42	0.84	0.45	0.82	0.72	0.15	0.01
Feb-11	0.43	0.67	0.45	1.03	0.63	0.22	0.03
Mar-11	0.45	1.17	0.37	1.06	0.72	0.19	0.02
Apr-11	0.43	0.60	0.33	1.15	0.64	0.21	0.02
May-11	0.39	0.85	0.35	1.19	0.53	0.17	0.03
Jun-11	0.40	0.47	0.32	1.29	0.60	0.13	0.05
Jul-11	0.42	0.45	0.31	1.00	0.69	0.17	0.02
Aug-11	0.41	0.52	0.32	1.20	0.68	0.11	0.03
Sep-11	0.46	0.46	0.36	1.45	0.62	0.22	0.01
Oct-11	0.41	0.65	0.36	1.37	0.63	0.12	0.01
Nov-11	0.48	0.66	0.36	1.02	0.84	0.15	0.03
Dec-11	0.44	0.58	0.36	1.14	0.68	0.18	0.01
Jan-12	0.58	0.79	1.14	1.64	0.82	0.22	0.02
Feb-12	0.66	0.72	0.34	2.44	0.87	0.27	0.02
Mar-12	0.69	0.67	0.42	1.96	0.92	0.35	0.14
Apr-12	0.58	0.90	0.64	1.34	0.88	0.24	0.03
May-12	0.58	0.79	0.43	1.79	0.83	0.24	0.04
Jun-12	0.65	1.32	0.49	2.33	0.80	0.29	0.03
Jul-12	0.71	0.58	0.43	2.07	1.00	0.34	0.03
Aug-12	0.64	0.65	0.31	1.52	1.01	0.28	0.02
Sep-12	0.67	0.65	0.48	2.18	0.96	0.24	0.02
Oct-12	0.60	0.53	0.40	1.73	0.84	0.28	0.03
Nov-12	0.65	0.58	0.44	2.18	0.89	0.27	0.06
Dec-12	0.60	0.48	0.45	1.41	0.91	0.29	0.03
Jan-13	0.59	0.89	0.34	1.06	0.99	0.27	0.05
Feb-13	0.73	0.62	0.37	1.53	1.20	0.30	0.07
Mar-13	0.59	0.65	0.37	1.71	0.88	0.23	0.03
Apr-13	0.68	0.81	0.43	1.38	1.03	0.36	0.03
May-13	0.65	0.67	0.35	1.40	1.06	0.26	0.03
Jun-13	0.70	0.66	0.39	1.62	1.12	0.29	0.02




Behavioral Healthcare Performance Measurement System


### **Restraint Hours**

©Copyright NASMHPD Research Institute, 1999-2013.


### Clients age 12 years and under



## Clients age 13-17 years



Clients age 18-24 years






Behavioral Healthcare Performance Measurement System


### **Restraint Hours**

©Copyright NASMHPD Research Institute, 1999-2013.


## Clients age 25-44 years



### Clients age 45-64 years



## Clients age 65 years and older





Behavioral Healthcare Performance Measurement System

### **Percent of Clients Restrained**

©Copyright NASMHPD Research Institute, 1999-2013.

Citation: NRI Performance Measurement System. National Public Rates, Age Stratification Report: Percent of Cleints Restrained. Falls Church, VA: National Association of State Mental Health Program Directors Research Institute, Inc. November 2013

Mental health service providers are consumer-focused and value an individual's autonomy and independence. Therefore, these providers seek to minimize use of service modalities that are physically restrictive. While restrictive methods are utilized in some instances, utilization of such methods must be minimized and closely monitored. Over-utilization of highly restrictive methods suggests either the lack of availability or knowledge of more appropriate, less restrictive practices.

These restraint measures include all mechanical holds (both ambulatory and non-ambulatory) and manual holds of any duration. Percent of clients restrained is measured in terms of unique individuals who were restrained at least once during the reporting period.

In general, a preferred direction for improvement is embedded in any performance measure. However, an apparent trend in the rates at the national level could be partially attributed to a change in the number of facilities, the rates of facilities participating in this measure, or both. Without established overall target levels as a guide, the interpretation of rates must take into consideration the context within which facilities operate.

Reporting Period	Overall Rate	Age 12 years and under	Age 13-17 years	Age 18-24 years	Age 25-44 years	Age 45-64 years	Age 65 years and older
Jan-11	5.32	28.54	14.97	10.50	5.46	3.01	1.90
Feb-11	4.92	27.94	15.82	9.24	5.04	2.62	1.89
Mar-11	5.33	28.32	14.64	9.97	5.36	2.98	2.36
Apr-11	5.43	26.94	14.44	10.64	5.62	3.02	2.22
May-11	5.26	27.07	13.88	10.43	5.44	2.92	1.53
Jun-11	5.47	26.99	14.75	11.11	5.69	2.97	2.27
Jul-11	5.54	27.63	13.92	11.13	6.02	3.06	1.61
Aug-11	5.50	24.39	12.65	10.93	5.95	3.08	2.17
Sep-11	5.21	24.86	13.76	10.01	5.40	3.02	2.19
Oct-11	5.48	27.59	14.68	10.66	5.69	3.07	2.05
Nov-11	5.67	27.17	13.75	11.61	5.98	3.02	2.42
Dec-11	5.59	28.27	13.47	10.56	5.76	3.37	2.22
Jan-12	5.95	30.80	13.78	11.20	6.12	3.52	2.49
Feb-12	5.79	27.64	12.87	10.47	6.08	3.46	2.24
Mar-12	5.96	28.52	15.11	10.70	6.26	3.19	2.87
Apr-12	5.79	31.05	14.00	11.25	5.77	3.16	2.88
May-12	6.01	33.45	15.03	11.30	5.99	3.28	2.79
Jun-12	5.69	30.49	15.43	10.98	5.72	2.98	3.15
Jul-12	5.91	29.85	15.31	11.04	6.16	3.34	2.98
Aug-12	5.85	29.74	13.53	10.85	6.00	3.47	2.95
Sep-12	5.71	28.14	13.70	11.72	5.48	3.37	3.42
Oct-12	5.82	28.35	14.19	10.84	6.01	3.11	3.58
Nov-12	5.52	28.27	13.20	10.17	5.74	3.05	3.16
Dec-12	5.78	21.17	14.27	11.28	5.98	3.41	3.05
Jan-13	5.64	25.60	12.99	10.20	5.85	3.37	2.97
Feb-13	5.44	26.20	11.50	9.95	5.76	3.12	2.89
Mar-13	6.02	26.12	12.38	11.35	6.34	3.44	3.10
Apr-13	6.06	28.29	12.85	11.18	6.12	3.54	3.43
May-13	5.71	27.52	12.69	10.24	5.81	3.36	2.69
Jun-13	5.82	24.17	12.68	10.92	6.14	3.47	2.57




Behavioral Healthcare Performance Measurement System


### **Percent of Clients Restrained**

©Copyright NASMHPD Research Institute, 1999-2013.


## Clients age 12 years and under



## Clients age 13-17 years



### Clients age 18-24 years






Behavioral Healthcare Performance Measurement System


### **Percent of Clients Restrained**

©Copyright NASMHPD Research Institute, 1999-2013.

# Clients age 25-44 years



### Clients age 45-64 years



### Clients age 65 years and older

